

# Firewall Solutions

V2IU 4300-E3	2583-62562-001	V2IU4350-E3 Firewall/ NAT traversal unit for Sm to Md. enterprise locations 4 port 10/100 Ethernet switch,integrated T1 CSU/DSU WAN interface or a 1x10/100 Ethernet WAN interface with capacity of 3meg of traffic -Select the power cord per region	100%
V2IU 5300-E10	2583-22563-001	V2IU 5300-E10 Firewall/ NAT traversal unit for medium to large enterprise locations. This model includes 2 x 10/100/1000 Ethernet interfaces, a 1 x 10/100 Ethernet with capacity of ~30 sessions @384kbps select power cord per per region	100%
V2IU 5300-E25	2583-22563-002	V2IU 5300-E25 Firewall/ NAT traversal unit for medium to large enterprise locations. This model includes 2 x 10/100/1000 Ethernet interfaces, a 1 x 10/100 Ethernet with capacity of ~60 sessions @384kbps select power cord per per region	100%
V2IU 5300-S10	2583-22563-003	V2IU 5300-S10 for medium and large enterprise used to protect managed service providers from network-based attack. This model includes 2 x 10/100/1000 Ethernet interfaces with capacity of ~30 sessions @384kbps Select the power cord per region	100%
V2IU 5300-S25	2583-22563-004	V2IU 5300-S25 for medium to large enterprise used to protect managed service providers from network-based attack.Includes 2 x 10/100/1000 Ethernet interfaces, a 1 x 10/100 Ethernet with capacity of ~60 sessions @ 384kbps select power cord per region	100%
V2IU 6400-E85	2583-22564-001	V2IU 6400-E85 Firewall/NAT traversal unit for large enterprises. This model includes 2x10/100/1000 Ethernet interfaces, dual redundant, hot swap AC power supply, NEBS Compliance with capacity of ~220 sessions @384kbps-Select the power cord per region	100%
V2IU 6400-S85	2583-22564-002	V2IU 6400-S85 used to protect managed service providers from network-based attack.Offers 2 x 10/100/1000 Ethernet interfaces, dual redundant, hot swap AC power supply, NEBS Compliance with capacity of ~220 sessions @384kbps select power cord per region	100%

VBP200 EW	2583-62565-001	VBP 200 EW Firewall/ NAT traversal unit for small office/home office locations 4 port 10/100 Ethernet switch, integrated 10/100 Ethernet WAN interface, 802.11 B/G wireless access point with capacity of 1 meg of video traffic - Select the power cord per region	100%
VBP4300 W-E3	2583-62562-003	VBP4300W-E3 Firewall/ NAT traversal unit for Sm to Md. enterprise locations 4 port 10/100 Ethernet switch, integrated 10/100 Ethernet WAN interface, 802.11 A/B/G wireless access point with capacity of 3 meg of traffic - Select the power cord per region	100%
V2IU 5300-ST10	2583-23540-001	V2IU 5300-ST10 Firewall/ NAT traversal unit with H.460 support for medium to large enterprise locations. This model includes 2 x 10/100/1000 Ethernet interfaces, a 1 x 10/100 Ethernet with capacity of ~30 sessions @384kbps	82%
V2IU 6400-ST85	2583-23541-001	V2IU 6400-ST85 Firewall/NAT traversal unit with H.460 support for large enterprises. This model includes 2x10/100/1000 Ethernet interfaces, dual redundant, hot swap AC power supply, NEBS Compliance with capacity of ~220 sessions @384kbps	81%
V2IU 5300-ST25	2583-23540-002	V2IU 5300-ST25 Firewall/ NAT traversal unit with H.460 support for medium to large enterprise locations. This model includes 2 x 10/100/1000 Ethernet interfaces, a 1 x 10/100 Ethernet with capacity of ~30 sessions @384kbps	74%

## Firewall Upgrades

SW UPG from 5300-PV10 to 5300-PV25	5150-23505-001	SW UPG from 5300-PV10 to 5300-PV25	100%
SW UPG from 5300-S10-5300-S25	5150-23506-001	SW UPG from 5300-S10-5300-S25	100%
SW UPG 5300-E10 to 5300-S10 license	5150-23988-001	SW UPG 5300-E10 to 5300-S10 license	100%
SW UPG 5300-E25 to 5300-S25 license	5150-23989-001	SW UPG 5300-E25 to 5300-S25 license	100%
SW UPG 5300-E85 to 5300-S85 license	5150-23991-001	SW UPG 5300-E85 to 5300-S85 license	100%

## Streaming

RSS2000	VRSS2000	Polycom RSS 2000 video recording and streaming solution. 1U appliance that provides 2 recording ports and up to 100 web viewers as well as up to 10 IP viewers.	93%
---------	----------	---	-----

## Streaming Upgrades

RSS2000 SW UPG	5150-18900-010	RSS 2000 SW Upgrade Option - Upgrade Software License to latest version (for customers without a premier service agreement)	100%
----------------	----------------	---	------

RSS 2000 Stackable Option License	5150-18900-030	RSS 2000 Stackable Option License - Allows multiple RSS 2000s to be stacked and seamlessly interfaced together	100%
-----------------------------------	----------------	--	------

## Video Media Centers

Polycom Video Media Center (VMC)	2200-77100-500	Polycom Video Media Center - 1000 Concurrent Unicast Web Streams, external upload of content option enabled and multicast option enabled	85%
----------------------------------	----------------	--	-----

Polycom Video Media Center (VMC)	2200-77100-400	Polycom Video Media Center - 500 Concurrent unicast web streams, external upload option and multicast option enabled.	76%
----------------------------------	----------------	---	-----

Polycom Video Media Center (VMC)	2200-77100-260	Polycom Video Media Center - 250 Concurrent unicast web streams, external upload option and multicast option enabled.	68%
----------------------------------	----------------	---	-----

Polycom Video Media Center (VMC)	2200-77100-250	Polycom Video Media Center, video content management appliance with 250 concurrent unicast web streams	61%
----------------------------------	----------------	--	-----

## VMC Modules

VMC Stream Licenses	5150-77100-250	Polycom Video Media Center - 250 Concurrent Web Stream License, a maximum of two licenses of additional 250 concurrent streams can be added per server	100%
---------------------	----------------	--	------

**NOTE: Installation and implementation is covered at 100% and each one year maintenance service is covered at the same eligibility % as the item it covers.**

## Services for Discontinued Products

Maintenance services for eligible discontinued products are eligible.